



Lodge Tent & High Wall Tent Range



Finest way to live in the wild

Lodge Tents from 4m up to 10m x 3,6m

Designed for permanent accommodation in the Wilds.

Lodge Tents

Full Product Specifications

- 38 x 2mm Galvanised Steel Tube Frame – rugged and sturdy
- 95% UV Shade Cloth (Flysheets no. 1)
- 500 gsm Ripstop Canvas (Flysheets no. 2)
- 400 gsm Ripstop Canvas Tent Body
- 550 gsm PVC – Splash Guard around base walls – tough and waterproof
- Fibreglass non-tear Window and Door Mesh
- Window Awnings that zip down for privacy and bad weather
- High Quality Industrial YKK Zips throughout
- Sturdy 8mm Polyethylene Guy Ropes
- 550 gsm PVC Bathroom Enclosure

Full Product Description

Roofing

It is important that the interior of the Lodge Tent remains cool and well insulated against the heat and UV rays from the sun. The first line of defence is a 95% UV Resistant Shade Cloth Flysheet (no. 1) which not only keeps it nice and cool inside the tent but, it also provides maximum protection for the Canvas below it. The Second line of defence is the thick Ripblock “Block Out” Canvas Flysheet (no. 2). The gap between the Shade Cloth and Canvas Flysheet allows for airflow and facilitates further cooling. This Flysheet is also your rainproof layer. A 2meter Flysheet overhang provides a neat little veranda space in the front of the Lodge Tent as well as at the back end of the Lodge Tent either as an extension from the Tent or in the case of a Bathroom Enclosure, an extension for the Bathroom.

Tent Body

The Tent Body is made from a lighter 400 gsm Ripblock Canvas but, tough nevertheless. The PVC splashguard around the base of the Tent Walls provides 100% waterproofing against heavy rain and is easily washable should it be splashed with mud. This PVC Splashguard is fixed to the Timber decking or cement slab with 40 x 5mm Aluminium Flat Bar which is sewn into a pocket along the base of the wall. This keeps unwanted low lying visitors OUT!

The large Windows and Doors are bug proofed with Non- Tear Fibreglass Mesh. Canvas Awnings over the Windows double as a zip-down Curtains and shady Awnings.

The Front Door is made in T-Style which zips open and can be tied up out of the way for maximum airflow and visibility. The Back Door adds more ventilation and is made in a C-Style.

YKK Zips and Zip Chain

All Zip Chain and Sliders are Industrial grade YKK products designed to last.

Tent Frame

Your Lodge Tent Body is hung from a sturdy Galvanised Steel Frame of 38 x 2mm Steel Tubes. The Shade Cloth Flysheet is supported by a lighter 25,4 x 1,6mm Galvanised set of Steel Poles.

Sizes and Configurations

The Standard 4m x 3,6m Lodge Tent comes as a stand-alone item but, a PVC Bathroom Enclosure can be ordered as an optional Extra. Lodge Tents are all 3,6m wide but, the lengths vary from 4m, 6m, 8m up to 10m. All Lodge Tents from 6m and longer come with PVC Bathroom Enclosures. (4m – optional extra)

Components



4m Lodge Tent showing Bathroom enclosure.



300mm gap between Shade Cloth and Flysheet for airflow.



PVC reinforced friction points.




PVC splashguard bolted to deck and sealed



Large windows with interior & exterior canvas curtain and bugmesh.



Large T-Door for good ventilation.



Reinforced steel corner pieces.



Feet firmly bolted to deck.



Interior showing C-Door to rear exit/bathroom.



Spacious Bathroom interior.

High Wall Tents

Full Product Specifications

- 🏠 25 x 1.2mm Electroplated Steel Poles
- 🏠 300gsm Ripstop Canvas Flysheet
- 🏠 400gsm Ripstop Canvas Tent Body
- 🏠 450gsm PVC Built-in Ground Sheet
- 🏠 Fibreglass non-tear Window and Door Mesh
- 🏠 Window Awnings that zip down for privacy and bad weather
- 🏠 High Quality Industrial YKK Zips throughout
- 🏠 Sturdy 8mm Guy Ropes



Full Product Description

Designed for semi-permanent accommodation in the Wilds this easy to pitch and strike Tent allows for mobility either on the move or for temporary camp sites. Most suitable for Sleeping Quarters. (Shade Cloth Flysheets can be added as an extra item should the Tent be used for longer periods of time in the Wilds)

Roofing

Lightweight 300gsm Ripstop Canvas Flysheet which provides a gap between the Tent Body and the Flysheet for airflow and cooling.

A two meter Flysheet overhang provides a neat little veranda space in front of the Highwall Tent.

Tent Body

The Tent Body is made from 400gsm Ripstop Canvas. Tough and durable.

Large Windows and Doors are bug-proofed with non-tear Fibreglass Mesh. Canvas Awnings over the Windows double as zip-down Curtains and Shady Awnings.

There are doors at both ends of the Tent made in T-Style which zip open and can be tied up out of the way for maximum airflow and visibility.

The fitted 450gms PVC Ground Sheet is built in to keep unwanted visitors out and provides a good waterproof seal against wet weather.

YKK Zips and Zip Chain

All Zip Chain and Sliders are Industrial grade products designed to last.

Tent Frame

The Tent body is supported by Tent Pole Uprights which are positioned outside the Tent Body making the interior uncluttered and attractive. The Tent Poles are secured firmly to the ground with Guy Ropes and Tent Pegs.

Sizes and Configurations

All the Highwall Tents are 3,6m wide but, the lengths vary from 4m, 6m up to 8m.

These Tents can be kitted out with normal beds and furniture for a more luxurious look or simply the basics of Stretchers and Canvas Fold-up Bedside tables. You get to choose.

The Heights of the walls are 1,7m allowing for ample headroom when sitting up in bed and allows for more stand-up space toward the centre of the Tent.

We also do the following:

Roof Top Tents | Dome Tents | Gazebos | Trailer Tents | Buck Camps & Custom Designs

Contact Us:

James Swemmer

Portion 68, Hilltop | Nelspruit 1201 | Cell: 082 491 5953 | Tel: 086 118 1357 | Email: jamesxafrica@mweb.co.za